

Ford Globally Approved Glasurit Refinish Materials

BASF has fully complied with Ford aftermarket refinish specification GMW15406M and has full approval of both the solvent borne and waterborne Glasurit® brand products to be used for Ford vehicle refinishing worldwide.



A brand of BASF –
We create chemistry

Rigid Substrates

CLEARCOAT

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
923-140 No-Bake Rapid Repair Clear	A-C-10 AraClass Fast HS Clearcoat	923-210 Low VOC Ultimate Clear	A-C-10 AraClass Fast HS Clearcoat	923-155 Acrylic Clear
923-255 HS Multi Clear	A-C-20 AraClass HS Clearcoat	923-209 Low VOC Klarlack	A-C-20 AraClass HS Clearcoat	A-C-10 AraClass Fast HS Clearcoat
923-460 Multi-Purpose Glamour Clear	A-C-30 Superior Gloss Clear	923-240 Low VOC No-Bake Rapid Repair Clear	A-C-40 AraClass Scratch-Resistant HS Clearcoat	A-C-20 AraClass HS Clearcoat
	A-C-32 Gloss Clear	923-220 Low VOC Multi-Purpose Gloss Clear	A-C-32 AraClass Superior Gloss Clearcoat	A-C-40 AraClass Scratch-Resistant HS Clearcoat
	A-C-40 AraClass Scratch-Resistant HS Clearcoat		P-C-30 ProClass HS Glossy Clearcoat	A-C-32 AraClass Superior Gloss Clearcoat
			923-335 HS Multi Clear VOC	P-C-30 ProClass HS Glossy Clearcoat
			923-610 HS Clear Fast Drying VOC	923-610 HS Clear Fast Drying VOC
			923-625 HS Clear Universal VOC	923-625 HS Clear Universal VOC
			923-630 HS Clear Superior Gloss VOC	923-630 HS Clear Superior Gloss VOC
			923-645 HS Clear Scratch-Resistant VOC	923-645 HS Clear Scratch-Resistant VOC
			925-2002 HS Clear Ultra Scratch-Resistant VOC	925-2002 HS Clear Ultra Scratch-Resistant VOC

BASECOAT

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
Line 55 Basecoat with activator	Line 90 Basecoat with activator	Line 90 Basecoat with activator	Line 90 Basecoat with activator	Line 55 Basecoat with activator
Line 90 Basecoat with activator	Line 100 Basecoat with activator	Line 100 Basecoat with activator	Line 100 Basecoat with activator	Line 90 Basecoat with activator
Line 100 Basecoat with activator				Line 100 Basecoat with activator

SURFACER/SEALER

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
285-50 HS primer Filler	A-U-33 DTM, White	285-02 low VOC Transparent Sealer	285-60 Universel HS Primer	285-60 Universel HS Primer
151-70 UV Light Activated Primer-Filler	A-U-39 DTM, Black	285-21 2.1 VOC Primer	285-650 HS Primer Filler White	285-650 HS Primer Filler White
285-60 Universal HS Primer		151-70 UV Light Activated Primer-Filler		285-51 HS Primer Grey
285-0 2K Transparent Filler (55 Line Only)				285-0 2K Transparent Filler

* To meet GMW15406 specifications, hardener must be used in the basecoat

Rigid Substrates

ANTI-CORROSION PRIMER

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
285-50 HS primer Filler	A-U-33 DTM, White	285-02 low VOC Trans- parent Sealer	285-60 Universel HS Primer	285-60 Universel HS Primer
151-70 UV Light Activated Prim- er-Filler	A-U-39 DTM, Black	285-21 2.1 VOC Primer	285-650 HS Primer Filler White	285-650 HS Primer Filler White
285-60 Universal HS Primer		151-70 UV Light Activated Primer-Filler		285-51 HS Primer Grey
285-0 2K Transparent Filler (55 Line Only)				285-0 2K Transparent Filler

Flexible Substrates

CLEARCOAT

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
923-255 HS Multi Clear	A-C-10 AraClass Fast HS Clearcoat with Elastifier	923-210 Low VOC Ultimate Clear with Elastifier	A-C-10 AraClass Fast HS Clearcoat with Elastifier	923-255 HS Multi Clear with Elastifier
923-140 No-Bake Rapid Repair Clear with Elastifier	A-C-40 AraClass Scratch-Resist- ant HS Clearcoat with Elastifier	923-240 NO-Bake Low VOC Rapid Repair Clear with Elastifier	A-C-40 AraClass Scratch-Resist- ant HS Clearcoat with Elastifier	923-335 HS Multi Clear VOC with Elastifier
923-460 Multi-Purpose Glamour Clear with Elastifier	A-C-32 AraClass Superior Gloss Clearcoat with Elastifier	923-220 Low VOC Multi-Purpose Gloss Clear with Elastifier	A-C-32 AraClass Superior Gloss Clearcoat with Elastifier	
923-109 HS UV Klarlack Clear with Elastifier			P-C-30 ProClass HS Glossy Clearcoat with Elastifier	
			923-335 HS Multi Clear VOC with Elastifier	
			923-610 HS Clear Fast Drying VOC with Elastifier	
			923-630 HS Clear Superior Gloss VOC with Elastifier	
			923-645 HS Clear Scratch-Re- sistant VOC with Elastifier	
			925-2002 HS Clear Ultra Scratch-Resistant VOC with Elastifier	

* To meet GMW15406 specifications, hardener must be used in the basecoat

Flexible Substrates

BASECOAT

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
Line 55 Basecoat with activator	Line 90 Basecoat with activator	Line 90 Basecoat with activator	Line 90 Basecoat with activator	Line 55 Basecoat with activator
Line 90 Basecoat with activator	Line 100 Basecoat with activator	Line 100 Basecoat with activator	Line 100 Basecoat with activator	Line 90 Basecoat with activator
Line 100 Basecoat with activator				Line 100 Basecoat with activator

SURFACER/SEALER

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
285-60 Universal HS Primer with Elastifier		285-21 2.1 VOC Primer with Elastifier		285-60 Universal HS Primer with Elastifier
285-0 2K Transparent Filler with Elastifier (with 55 line only)				

ADHESION PROMOTER

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
934-30 1K plastic Adhesion Promoter	A-U-17 (no primer surfacer required)	934-70 One Step Plastic Ad-Pro (no primer surfacer required)	934-70 One Step Plastic Ad-Pro (no primer surfacer required)	934-30 1K Plastic Adhesion Promoter
934-70 One Step Plastic Ad-Pro (no primer surfacer required)				934-70 One Step Plastic Ad-Pro (no primer surfacer required)

* To meet GMW15406 specifications, hardener must be used in the basecoat



A brand of BASF –
We create chemistry

BASF Corporation
Automotive Refinish
26701 Telegraph Rd.
Southfield, MI 48033

BASF Canada, Inc.
5025 Creekbank Road, Building A, Floor 2
Mississauga, ON, L4W 0B6

BASF Mexicana, S.A. de C.V. División Coatings
Avenida Uno No. 9
Parque Industrial Cartagena
C.P. 54900 Tultitlan, Edo de México

basrefinish.com
(800) 825-3000
Color and Technical: (800) 758-2273



BASF Refinish North America



@RefinishNews



@basrefinish