

Ford Globally Approved R-M Refinish Materials

BASF has fully complied with Ford aftermarket refinish specification GMW15406M and has full approval of both the solvent borne and waterborne RM® brand products to be used for Ford vehicle refinishing worldwide.



Finish smart



A brand of BASF – We create chemistry

Rigid Substrates

CLEARCOAT

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
DC5335 Glamour Clear	C 2P65 INTENSE Finish-R	DC21NB Low VOC Speed Clear	C 2P55 MULTI Finish-R	C 2P55 MULTI Finish-R
DC5300 CTR Baking Clear	C 2P62 BRIGHT Finish-R		C 2P45 SPEED Finish-R	C 2P45 SPEED Finish-R
DC01NB Speed Clear	C 2P55 MULTI Finish-R		C 2P85 POWER Finish-R	C 2P85 POWER Finish-R
	C 2P45 SPEED Finish-R		C 2P62 BRIGHT Finish-R	C 2P62 BRIGHT Finish-R
	C 2P85 POWER Finish-R		C 2A64 GlossTOP+	C 2A64 GlossTOP+
			CRYSTALCLEAR CP	CRYSTALCLEAR CP
			EVERCLEAR C2550	EVERCLEAR C2550
			EXTREMECLEAR C2580	EXTREMECLEAR C2580
			GLOSSCLEAR C2560	GLOSSCLEAR C2560
			RAPIDCLEAR C2570	RAPIDCLEAR C2570
			SUPREMELUX CP	SUPREMELUX CP

BASECOAT

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
Diamont w/ basecoat hardener	ONYX HD w/ basecoat hardener	ONYX HD w/ basecoat hardener	ONYX HD w/ basecoat hardener	ONYX HD w/ basecoat hardener
ONYX HD w/ basecoat hardener			AGILIS w/ basecoat hardener	ONYX HD w/ basecoat hardener

SURFACER/SEALER

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
DP20 2K Urethane Primer	P 2P61 MULTI Purpos-R DTM White	DP200 Exempt Low VOC 2K Primer	PERFECTFILLER Black, White, Gray	DP20 2K Urethane Primer
DP21 2K Color-it Primer	P 2P65 MULTI Purpos-R DTM Black	DP321 Low VOC Tintable Sealer		PERFECTFILLER Black, White, Gray
DP22 2K Productive Primer (only with Diamont)		VP126 Flash fill UV primer		
DS30 Clear 2K Sealer				
VP126 Flash fill UV primer				

* To meet GMW15406 specifications, hardener must be used in the basecoat

Rigid Substrates

ANTI-CORROSION PRIMER

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
DE17 Chromate Free Etch Primer	P 2P16 METAL Prim-R Wash Primer, Beige	DE17 Chromate Free Etch Primer	Euroxy CP Chromate-free epoxy primer filler	DE17 Chromate Free Etch Primer
EP569/ 669/ 769/ 869 Chromate Free Epoxy Primer, Grey / White / Black / Red	P 2A23 Epoxy PRO-TECT Primer filler, Grey	EP369 Grey Epoxy Primer Low VOC	Eurofill Chromate-free wash primer	Euroxy CP Chromate-free epoxy primer filler

PREP WIPES

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
BASF 1000 Multi-Metal Prep Wipes (bare Steel substrates)	PK 2P50 PRO Prep-R Wipes	BASF 1000 Multi-Metal Prep Wipes (bare Steel substrates)	PK 300W wipes	PK 300W wipes
BASF 2000 Advanced Prep Wipes (Aluminum, magnesium, and titanium substrates)		BASF 2000 Advanced Prep Wipes (Aluminum, magnesium, and titanium substrates)		

* To meet GMW15406 specifications, hardener must be used in the basecoat

Flexible Substrates

CLEARCOAT

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
DC5335 Glamour Clear w/ Flexibilizing Agent	C 2P62 BRIGHT Finish-R w/ Flexibilizing Agent	DC21NB Low VOC Speed Clear w/ Flexibilizing Agent	C 2P55 MULTI Finish-R w/ Flexibilizing Agent	C 2P55 MULTI Finish-R w/ Flexibilizing Agent
DC5300 CTR Baking Clear w/ Flexibilizing Agent	C 2P55 MULTI Finish-R w/ Flexibilizing Agent		C 2P45 SPEED Finish-R w/ Flexibilizing Agent	C 2P45 SPEED Finish-R w/ Flexibilizing Agent
DC01NB Speed Clear w/ Flexibilizing Agent	C 2P45 SPEED Finish-R w/ Flexibilizing Agent		C 2P85 POWER Finish-R w/ Flexibilizing Agent	C 2P85 POWER Finish-R w/ Flexibilizing Agent
	C 2P85 POWER Finish-R w/ Flexibilizing Agent		C 2P62 BRIGHT Finish-R w/ Flexibilizing Agent	C 2P62 BRIGHT Finish-R w/ Flexibilizing Agent
			C 2A64 GlossTOP+ w/ Flexibilizing Agent	C 2A64 GlossTOP+ w/ Flexibilizing Agent
			CRYSTALCLEAR CP w/ Flexibilizing Agent	CRYSTALCLEAR CP w/ Flexibilizing Agent
			EVERCLEAR C2550 w/ Flexibilizing Agent	EVERCLEAR C2550 w/ Flexibilizing Agent
			EXTREMECLEAR C2580 w/ Flexibilizing Agent	EXTREMECLEAR C2580 w/ Flexibilizing Agent
			GLOSSCLEAR C2560 w/ Flexibilizing Agent	GLOSSCLEAR C2560 w/ Flexibilizing Agent
			RAPIDCLEAR C2570 w/ Flexibilizing Agent	RAPIDCLEAR C2570 w/ Flexibilizing Agent
				DC5300 CTR baking Clear w/ Flexibilizing Agent

BASECOAT

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
ONYX HD w/ basecoat hardener	ONYX HD w/ basecoat hardener	ONYX HD w/ basecoat hardener	ONYX HD w/ basecoat hardener	ONYX HD w/ basecoat hardener
Diamont w/ basecoat hardener			AGILIS w/ basecoat hardener	AGILIS w/ basecoat hardener
				Diamont w/ basecoat hardener

* To meet GMW15406 specifications, hardener must be used in the basecoat

Flexible Substrates

SURFACER/SEALER

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
DP21 2K Color-it Primer w/ Flexibilizing Agent		DP200 Exempt Low VOC 2K Primer w/ Flexibilizing Agent	PERFECTFILLER w/ Flexibilizing Agent	DP20 2K Urethane Primer w/ Flexibilizing Agent
DP31 power Fill 2K Sealer Grey w/ Flexibilizing Agent				
DP20 2K Urethane Primer w/ Flexibilizing Agent (Diamont Only)				

ADHESION PRIMER

US NATIONAL RULE SOLVENT OR WATERBORNE BASECOAT	US SCAQMD RULE 1151	US/CANADA LOW VOC	EUROPE	NON-REGULATED
868 1K Plastic primer	P 2P43 PLASTIC Fill-R Grey	870 HS Adhesion promoter for plastics (no primer surfacer required)	SEALERPLAST 80	868 1K Plastic primer
870 HS Adhesion promoter for plastics (no primer surfacer required)	PM 2P10 PLASTIC Prim-R Primer			SEALERPLAST 80

* To meet GMW15406 specifications, hardener must be used in the basecoat

Finish smart



A brand of BASF – We create chemistry

BASF Corporation
Automotive Refinish
26701 Telegraph Rd.
Southfield, MI 48033

BASF Canada, Inc.
5025 Creekbank Road, Building A, Floor 2
Mississauga, ON, L4W 0B6

BASF Mexicana, S.A. de C.V. División Coatings
Avenida Uno No. 9
Parque Industrial Cartagena
C.P. 54900 Tultitlan, Edo de México

basrefinish.com
(800) 825-3000
Color and Technical: (800) 758-2273

